

Nielsen Environmental

EMERGENCY WAIVER LETTER

INSTRUCTIONS

In order to waive the required 14-day waiting period for a South Coast Air Quality Management District notification a waiver letter must be generated by the property owner (only)

This letter must be addressed to:

South Coast Air Quality Management District

21865 E. Copley Drive

Diamond Bar, CA 91765

It must identify the property address, and property owners information including address and contact #'s.

The letter must also identify the circumstance surrounding the "sudden, unexpected event" which caused the need for immediate abatement. This description may include such facts such as, "Immediate asbestos removals due to unsafe conditions, breakdowns, flood, earthquake, fire, and site contamination. "

Please fax the letter back to us Nielsen Environmental at (323)951-9277. At which time we will attach this letter to our notification.

Please give us a call with any questions (323) 951-9722

Thank You,

Kevin Nielsen

Nielsen Environmental

Jobsite Information:

Property Owner: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Cellular: _____ Fax: _____ Other: _____

Email: _____

Billing Information:

Company Name: _____

Address: _____

City: _____ State: _____ Zip: _____

Phone: _____ Fax: _____ Cellular: _____ Other: _____

Email: _____

Building Age: _____ Building Size: _____ Number of Floors: _____ Number of Units: _____

Building Type:

Single Family Dwelling

Multi-Family

Office

Retail

Industrial

Before we can begin work on your project we must have the information filled in above, and faxed back to us @ 323-951-9277

If you should have any questions please call @ 323-951-9722.

NIELSEN ENVIRONMENTAL, INC
8484 Wilshire Blvd Suite M-500 Beverly Hills, CA. 90211
Office: 323-951-9722 Fax: 323-951-9277
kevin@nielsenenviro.com www.nielsenenviro.com
License 714899, DOSH-1004